


C.LEDLUX-P / MULTILED-P

→ 26m-57m



→ 26m-57m



- Modern design **surface mounted LED** non-maintained (NM), maintained (M) or centralised (C) emergency lighting with smooth legend illumination for all **areas such as offices, shops, hotels, banks, entrance halls, schools, hospitals, etc.**

It is available in all following versions:


- **AUTOTEST** (-AT)
- **CENTRAL BATTERY** (C.LEDLUX) for **non-addressable CBS** (look up also page No.174)
- Conforming to the requirement of EN60598-2-22, EN1838, EN62034
- Design: metal sheet body with PE powder coat finish RAL9006 (grey) or RAL9003 (white) or RAL9005 (black)
- stropné moderné LED svietidlo pre **netrvalé (NM), trvalé (M)** alebo **centrálne (C)** núdzové osvetlenie s perfektnou rovnomernosťou osvetlenia piktogramu navrhnuté pre všeobecné použitie priestorov ako napr. kancelárie, obchody, školy, nemocnice, vstupné haly, banky a pod., aj s funkciami:
 - **AUTOTEST** (-AT)
 - **CENTRAL BATTERY** (C.LEDLUX) pre **neadresovateľné CBS** (pozri str.174)
- spĺňa požiadavky európskej normy EN 60598-2-22, EN1838, EN62034
- konštrukcia: teleso z ocelového plechu vo farbe RAL9006 (šedá) alebo RAL9003 (biela) alebo RAL9005 (čierna)

STANDARD FEATURES**ŠTANDARDNÁ VÝBAVA**

- LEDs indicating both presence of power supply and signaling failures
- TEST button
- signalizácia LED a TEST tlačítko

OPTIONAL ACCESSORIES**PRIPLATKY**

- **Special suspended plexi with layered design for perfect smooth illumination of legend. It must be ordered as a separate item- look up page No.290**
- Wall or ceiling mounting brackets (look up page No.291)
- Wire rope suspension set (look up page No.291)
- Alternative colour surface treatment in RAL (min order quantity 100pcs)
- **špeciálne vrstvené závesné plexi pre rovnomerné osvetlenie piktogramu na jeho celej ploche (plexi musí byť objednané samostatne podľa želaného piktogramu- viď strana 290 pre detaily)**
- nástenná, stropná alebo stropná závesná konzola (pozri str. 291)
- lanková závesná sada (pozri str. 291)
- povrchová úprava vo farbe podľa špecifikácie odberateľa (min 100ks)

**Input Power:**

- 3,9W / 7,4VA (maintained M)
- 2,6W / 5,8VA (non-maintained NM)
- 1,3W / 4,0VA (CBS)




Upright wall mounting bracket
Konzola kolmo na stenu
(RAL9006 / RAL9003)



Parallel wall mounting bracket
Konzola rovnobežne so stenou
(RAL9006 / RAL9003)



C.LEDLUX-P / MULTILED-P



* Dimensions in the bracket are valid for all "BIG" versions
* rozmery v zátvorke platia pre "BIG" verzie

NM/M							
Type	Version	Colour	Light Source	Duration	Battery	Order Code	Weight
MULTILED-P 3h RAL9006	Only Body, No Plexi incl.	Grey / šedá	8x LED	3h	NiMh 4,8V/0,85Ah	85-B-103-05-00	1,2 kg
MULTILED-P 3h RAL9003	Only Body, No Plexi incl.	White / biela	8x LED	3h	NiMh 4,8V/0,85Ah	85-B-05-07-F1	1,2 kg
MULTILED-P 3h RAL9005	Only Body, No Plexi incl.	Black / čierna	8x LED	3h	NiMh 4,8V/0,85Ah	85-B-05-07-02	1,2 kg

AUTOTEST -AT NM/M							
Type	Version	Colour	Light Source	Duration	Battery	Order Code	Weight
MULTILED-P-AT 1h RAL9006	Only Body, No Plexi incl.	Grey / šedá	12x LED	1h	NiMh 4,8V/0,85Ah	85-B-111-05-00	1,2 kg
MULTILED-P-AT 1h RAL9003	Only Body, No Plexi incl.	White / biela	12x LED	1h	NiMh 4,8V/0,85Ah	85-B-111-06-00	1,2 kg
MULTILED-P-AT 1h RAL9005	Only Body, No Plexi incl.	Black / čierna	12x LED	1h	NiMh 4,8V/0,85Ah	85-B-111-10-03	1,2 kg
MULTILED-P-AT 3h RAL9006	Only Body, No Plexi incl.	Grey / šedá	12x LED	3h	NiMh 4,8V/2,1Ah	85-B-108-05-00	1,3 kg
MULTILED-P-AT 3h RAL9003	Only Body, No Plexi incl.	White / biela	12x LED	3h	NiMh 4,8V/2,1Ah	85-B-108-06-00	1,3 kg

AUTOTEST -AT NM/M version "BIG"							
Type	Version	Colour	Light Source	Duration	Battery	Order Code	Weight
MULTILED-P-BIG-AT 1h RAL9006	Only Body, No Plexi incl.	Grey / šedá	9x PowerLED	1h	NiMh 9,6V/4,0Ah	85-B-74-05-00	3,5 kg
MULTILED-P-BIG-AT 1h RAL9003	Only Body, No Plexi incl.	White / biela	9x PowerLED	1h	NiMh 9,6V/4,0Ah	85-B-74-05-05	3,5 kg

Page No.174

CENTRAL BATTERY (CBS)						
Type	Version	Colour	CBS Version for	Light Source	Order Code	Weight
C.LEDLUX-P 230V AC/DC RAL9006	Only Body, No Plexi incl.	Grey / šedá	CBS NON-ADDRESSABLE	12x LED	85-B-13-13-00	1,0 kg
C.LEDLUX-P 230V AC/DC RAL9003	Only Body, No Plexi incl.	White / biela	CBS NON-ADDRESSABLE	12x LED	85-B-13-14-01	1,0 kg
C.LEDLUX-P 230V AC/DC RAL9005	Only Body, No Plexi incl.	Black / čierna	CBS NON-ADDRESSABLE	12x LED	85-B-13-06-02	1,0 kg
C.LEDLUX-P 24V AC/DC RAL9006	Only Body, No Plexi incl.	Grey / šedá	CBS NON-ADDRESSABLE	12x LED	85-B-07-10-00	1,0 kg
C.LEDLUX-P 24V AC/DC RAL9003	Only Body, No Plexi incl.	White / biela	CBS NON-ADDRESSABLE	12x LED	85-B-07-11-00	1,0 kg

Page No.174

CENTRAL BATTERY (CBS) version “BIG”						
Type	Version	Colour	CBS Version for	Light Source	Order Code	Weight
C.LEDLUX-P-BIG 230V AC/DC	Only Body, No Plexi incl.	Grey / šedá	CBS NON-ADDRESSABLE	9xPower LED	85-B-78-01-00	3,0 kg
C.LEDLUX-P-BIG 230V AC/DC	Only Body, No Plexi incl.	White / biela	CBS NON-ADDRESSABLE	9xPower LED	85-B-78-01-00-F1	3,0 kg

Suspended Plexi / závesné plexi s piktogramom




• It is not included in standard package. It must be ordered as separate item !

- Viewing Distance 26m for all H,I,J,K,L,M,N versions in accordance with ISO7010
- Viewing Distance 57m for all **BIG** versions

• nie je súčasťou štandardného balenia svetidla, musí byť objednané ako samostatná položka !

- rozoznateľnosť piktogramu 26m pre všetky H,I,J,K,L,M,N verzie v súlade s ISO7010
- rozoznateľnosť piktogramu 57m pre všetky **BIG** verzie



For 8xLED / 12xLED versions

Optional Item / Príplatok	Order Code / Objednávaci kód
Double sided plexi H/J, obojstranné plexi H/J	85-B-312-23-01
Double sided plexi I, obojstranné plexi I	85-B-312-21-01
Single sided plexi H, jednostranné plexi H	85-B-312-29-01
Single sided plexi I, jednostranné plexi I	85-B-312-20-01
Single sided plexi J, jednostranné plexi J	85-B-312-30-01
Double sided plexi K/M, obojstranné plexi K/M	85-B-19-40-01
Double sided plexi L/N, obojstranné plexi L/N	85-B-19-41-01
Single sided plexi K, jednostranné plexi K	85-B-19-46-01
Single sided plexi L, jednostranné plexi L	85-B-19-47-01
Single sided plexi M, jednostranné plexi M	85-B-19-48-01
Single sided plexi N, jednostranné plexi N	85-B-19-49-01
Double sided plexi Z1, obojstranné plexi Z1	309-B-000-00-00-27
Double sided plexi Z2, obojstranné plexi Z2	309-B-000-00-00-28

For C.LEDLUX-BIG / MULTILED-BIG

Optional Item / Príplatok	Order Code / Objednávaci kód
Double sided plexi H/J, obojstranné plexi H/J	85-B-74-02-07-01
Double sided plexi I, obojstranné plexi I	85-B-74-02-09-01
Single sided plexi H, jednostranné plexi H	85-B-74-02-10-01
Single sided plexi I, jednostranné plexi I	85-B-74-02-06-01
Single sided plexi J, jednostranné plexi J	85-B-74-02-11-01
Double sided plexi K/M, obojstranné plexi K/M	85-B-74-02-12-01
Double sided plexi L/N, obojstranné plexi L/N	85-B-74-02-13-01
Single sided plexi K, jednostranné plexi K	85-B-74-02-14-01
Single sided plexi L, jednostranné plexi L	85-B-74-02-15-01
Single sided plexi M, jednostranné plexi M	85-B-74-02-16-01
Single sided plexi N, jednostranné plexi N	85-B-74-02-17-01



C.LEDLUX-P / MULTILED-P**Optional Accessories:**

- Wall brackets
- Wire rope suspension set

Príplatky:


- nástenné konzoly
- lankový záves



Upright wall mounting bracket
Konzola kolmo na stenu
(RAL9006 / RAL9003)

Parallel wall mounting bracket
Konzola rovnobežne so stenou
(RAL9006 / RAL9003)

Optional Item / Príplatky	Order Code
Parallel wall mounting bracket in white RAL9003 colour / nástenná konzola rovnobežne so stenou v bielej RAL9003	85-B-05-08-00
Parallel wall mounting bracket in grey RAL9006 colour / nástenná konzola rovnobežne so stenou v šedej RAL9006	85-B-05-08-F17
Parallel wall mounting bracket for "BIG" version in RAL9003 / nástenná konzola rovnobežne so stenou pre "BIG" verzie RAL9003	V-85-A-74-13-F1
Parallel wall mounting bracket for "BIG" version in RAL9006 / nástenná konzola rovnobežne so stenou pre "BIG" verzie RAL9006	V-85-A-74-13-F17
Upright wall mounting bracket in white RAL9003 colour / konzola kolmo na stenu v bielej RAL9003	85-B-05-09-00
Upright wall mounting bracket in grey RAL9006 colour / konzola kolmo na stenu v šedej RAL9006	85-B-05-09-F17
Upright wall mounting bracket for "BIG" version in RAL9003 / konzola kolmo na stenu pre "BIG" verzie v bielej RAL9003	85-B-74-07-00
Upright wall mounting bracket for "BIG" version in RAL9006 / konzola kolmo na stenu pre "BIG" verzie v šedej RAL9006	85-B-74-07-F17
Wire rope suspension set 1,0m long in white RAL9003 colour / lanková závesná sada 1,0m dlhá v bielej RAL9003 farbe	85-B-05-13-01
Wire rope suspension set 1,0m long in grey RAL9006 colour / lanková závesná sada 1,0m dlhá v šedej RAL9006 farbe	85-B-05-13-00
Wire rope suspension set 1,5m long in white RAL9003 colour / lanková závesná sada 1,5m dlhá v bielej RAL9003 farbe	85-B-05-25-F1
Wire rope suspension set 1,5m long in grey RAL9006 colour / lanková závesná sada 1,5m dlhá v šedej RAL9006 farbe	85-B-05-25-00
Wire rope suspension set 2,0m long in white RAL9003 colour / lanková závesná sada 2,0m dlhá v bielej RAL9003 farbe	85-B-05-60-00
Wire rope suspension set 2,0m long in grey RAL9006 colour / lanková závesná sada 2,0m dlhá v šedej RAL9006 farbe	85-B-05-18-00
Wire rope suspension set 3,5m long in white RAL9003 colour / lanková závesná sada 3,5m dlhá v bielej RAL9003 farbe	85-B-05-26-F1
Wire rope suspension set 3,5m long in grey RAL9006 colour / lanková závesná sada 3,5m dlhá v šedej RAL9003 farbe	85-B-05-26-00
Pendant ceiling mounting bracket 1,0m in white RAL9003 colour / trubková závesná sada 1,0m dlhá v bielej RAL9003 farbe	85-B-05-27-F1
Pendant ceiling mounting bracket 1,0m in grey RAL9006 colour / trubková závesná sada 1,0m dlhá v šedej RAL9006 farbe	85-B-05-27-F17



Standard Line
LED Emergency Luminaire

C.LEDLUX-P / MULTILED-P



Standard Line
LED Emergency Luminaire

C.LEDLUX-P / MULTILED-P

